			A2
	Application No.	Applicant(s)	
Notice of Allowability	10/787,493	LAMKE ET AL.	
	Examiner	Art Unit	
	Anabel M. Ton	2875	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>11/08/05</u> .			
2. The allowed claim(s) is/are <u>1-23</u> .			
<ol> <li>Acknowledgment is made of a claim for foreign priority una)</li></ol>	e been received. e been received in Application No cuments have been received in this of this communication to file a reply	national stage application	
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner' Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the composition of the composition</li></ul>	son's Patent Drawing Review (PTO-  's Amendment / Comment or in the ( I.84(c)) should be written on the drawi the header according to 37 CFR 1.121(	Office action of ngs in the front (not the ba	
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGIC	AL MATERIAL.	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5  Notice of Informal F	Patent Application (PTO-1	.52)
<ol> <li>Notice of References Cited (F10-692)</li> <li>Dotice of Draftperson's Patent Drawing Review (PT0-948)</li> </ol>	6. ☐ Interview Summary		<i></i>
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da	ite	
Paper No./Mail Date	· —		
4.   Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Statem 9.	ent of Reasons for Allowa	ance

Application/Control Number: 10/787,493 Page 2

Art Unit: 2875

## **DETAILED ACTION**

## Terminal Disclaimer

1. The terminal disclaimer filed on 11/08/05 disclaiming the terminal portion of any patent granted on this application, which would extend beyond the expiration date of 6,739,733 has been reviewed and is accepted. The terminal disclaimer has been recorded.

## Response to Amendment

2. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

## Allowable Subject Matter

- 3. Claims 1-23 are allowed.
- The following is an examiner's statement of reasons for allowance: Subsequent the terminal disclaimer filed 11/08/05 and the amendment to claims 1,9 and 20 including the phrase "an exterior surface" to distinguish the instant invention over the cited prior art of record Villanilam, the above claims are now deemed allowable. Villanilam discloses a lens filled with flowable material that hardens after curing to encapsulate the inner components of a light device including the circuit board and LED's. Villanilam teaches the clear lens providing a sealing means for the flowable material and inner components. Villanilam does not teach the flowable material that hardens as an exterior surface of the lamp assembly.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance:"

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anabel M. Ton whose telephone number is (571) 272-2382. The examiner can normally be reached on 08:00-16:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Anabel M Ton Examiner Art Unit 2875

**AMT** 

Sandra O'Shea
Sypervisory Patent Examiner
Technology Center 2800